
**Brusne plošče 1**

D x T x H



D	T	H	
125	20	12,7, 16, 20, 25, 32, 40	W*
150	20	12,7, 16, 20, 25, 32, 40	W*
175	20	16, 20, 25, 32, 40	W*
200	20, 25	16, 20, 25, 32, 40	W*
250	20, 25	16, 20, 25, 32, 40	W*
300	30, 40	30, 40	
350	40	30, 40	
400	40, 50	40	







Primer za izpis naročila:

1 300x30x127

C60K6V

W*- R16 vključuje reducirne obroče 12,7, 16, 20, 25, 32

SPLOŠNA PRIPOROČILA

Področje uporabe		Gradivo	
		Grobo brušenje	Fino brušenje
	Nelegirana jekla	A36P5V	A60M6V
	Legirana jekla	2A46M5V	2A60K6V
	Visokolegirana jekla	4A60M7V	4A60K6V
	Karbidne trdine	C60K6V, A30P7V	C80K6V
	Siva litina	9C46M6V, 30A24P4V	
	Jeklena litina	7A36M5V	
	Nodularna litina	54A36L5V	
	Al in zlitine	9C46K7V	
	Cu in zlitine	9C46K7V	
 	Plastika	9C46J8V	
	Keramika	9C46J8V	

