






Brusi s stebлом 52A

D x T - S x L



D	T	S	L
3	3	3	30
6	6	3	30
10	6	3	30
10	10	3	30
13	6	3	30
13	10	3	30
13	13	3	30
10	6	6	40
10	10	6	40
13	6	6	40
13	10	6	40
13	13	6	40
16	6	6	40
16	8	6	40
16	10	6	40
16	13	6	40
16	16	6	40
20	4	6	40
20	6	6	40
20	10	6	40
20	12	6	40
20	20	6	40
25	6	6	40
25	10	6	40
25	13	6	40
25	20	6	40
25	25	6	40
32	10	6	40
32	13	6	40
32	16	6	40
32	20	6	40
32	25	6	40
32	32	6	40
40	10	6	40
40	13	6	40
40	20	6	40
40	25	6	40
40	30	6	40
40	40	6	40
50	10	6	40
50	13	6	40
50	20	6	40
50	25	6	40
40	40	8	40
50	20	8	40
50	25	8	40
60	30	8	40
30	30	9	36
50	20	9	40


Primer za izpis naročila:

52A 40x20-8x40

52B 4A60/4O6V


Brusi s stebлом 52B

D x T - S x L




D	T	S	L
3	5	3	30
3	6	3	30
4	6	3	30
4	8	3	30
5	6	3	30
5	10	3	30
6	8	3	30
6	10	3	30
6	12	3	30
8	13	3	30
10	12	3	30
10	20	3	30
13	20	3	30
3	6	6	40
4	8	6	40
5	10	6	40
6	8	6	40
6	12	6	40
8	10	6	40
8	13	6	40
8	15	6	40
8	20	6	40
10	13	6	40
10	20	6	40
10	25	6	40
10	30	6	40
10	32	6	40

D	T	S	L
13	16	6	40
13	20	6	40
13	25	6	40
13	40	6	40
16	20	6	40
16	25	6	40
16	32	6	40
16	40	6	40
16	50	6	40
20	25	6	40
20	32	6	40
20	40	6	40
20	50	6	40
25	32	6	40
25	40	6	40
25	50	6	40
32	40	6	40
32	50	6	40
25	32	8	40
32	40	8	40

Brusi s stebлом 52C

D x T - S x L




D	T	S	L
3	6	3	30
6	10	3	30
8	16	3	30
13	13	3	30
6	20	6	40
8	16	6	40
12	20	6	40
13	13	6	40
20	25	6	40
20	40	6	40

Primer za izpis naročila:
52C 13x13-3x30
2A60/4P6V



Brusi s stebлом 52D


D x T - S x L



D	T	S	L
6	10	3	30
10	10	3	30
10	12	3	30
10	20	6	40
13	13	6	40
16	16	6	40
16	32	6	40
16	45	6	40
20	20	6	40
20	25	6	40
20	32	6	40
20	40	6	40
20	45	6	40
20	63	6	40
25	25	6	40
25	32	6	40
25	70	6	40
32	32	6	40

Brusi s stebлом 52E

D x T - S x L



D	T	S	L
3	5	3	30
5	10	3	30
8	15	3	30
12	20	3	30
3	6	6	40
5	10	6	40
8	15	6	40
10	20	6	40
12	20	6	40
20	32	6	40
20	40	6	40
20	50	6	40
20	60	6	40
22	50	6	40
22	70	6	40
32	50	6	40


Primer za izpis naročila:

52E 32x50-6x40

54A46P4VL


Brusi s stebлом 52F


D x T - S x L



D	T	S	L
20	16	6	40
25	16	6	40
25	20	6	40
32	25	6	40

Brusi s stebлом 52G


D x T - S x L



D	T	S	L
13	16	6	40
16	20	6	40
20	25	6	40
20	63	6	40
25	32	6	40
32	40	6	40

Brusi s stebлом 52H


D - S x L



D	S	L
4	3	30
6	3	30
8	3	30
3	6	40
6	6	40
8	6	40
10	6	40
13	6	40
15	6	40
20	6	40
25	6	40
32	6	40
40	6	40
40	8	40
60	9	40

Brusi s stebлом 52N

D x T - S x L



D	T	S	L
20	25	6	40

Primer za izpis naročila:

52N 20x25-6x40

54A 4A60/4O6V



Področje uporabe		Gradivo										
		3A-B	A-V	4A-V	4A-V	2A-V	2A-V	6A-V	LA-V	GA-V	54A-V	C-V
			O	N	P	L	O	N	M	N	P	M
	JEKLA	Univerzno		***	**	**	**		**	**		
	Nekaljeno		***	*	**		**			**		
	Orodno		**	**				**	***	**		
	HSS					**			*			
	Nerjavno					***		*	**			
	TRDINE	Karbidne										***
	Stelit											
	LITINE	Univerzno	***		**							
	Jeklena		**	**		**	*	***		**	**	
	Legirana				*		*				***	
	Siva										***	**
	Nodularna		*								***	
	BARVNE KOVINE	Al										***
	Cu											**
	Bron											**
	OSTALO	Plastika				**						***
	Guma					**						***

*** najbolj primeren ** srednje primeren * primeren

Izbira granulacije je odvisna od premera brusa:

Premer D (mm)	Velikost zrna	
	Grobo	Fino
do 4	/	120
od 5 do 7	60	100
od 8 do 14	46	80
od 15 do 30	36	60
nad 32	24	36

